

Pigmentary Disorders of the Skin

Paul K. Shitabata, M.D.
Director of Dermatopathology
Harbor-UCLA Dermatology
Pathology Inc.

Diseases classified under reticulate pigmentary anomalies include:

1. Acropigmentation of Kitamura
2. Kimura's disease
3. Dowling-Degos disease
4. Degos Disease
5. Naegeli-Franceschetti-Jadassohn syndrome

May have more than one answer

1. Acropigmentation of Kitamura
3. Dowling-Degos disease
5. Naegeli-Franceschetti-Jadassohn syndrome

Which disease does not usually exhibit melanophages in the dermis?

- A. Melasma
- B. Phytophotodermatitis
- C. Addison's disease
- D. Linear and whorled nevoid hypermelanosis
- E. Vitiligo

May have more than one answer

A. Melasma
E. Vitiligo

Common disease associations with vitiligo include:

- A. Aseptic meningitis
- B. Hirsutism
- C. Addison's disease
- D. Uveitis
- E. Diabetes mellitus

May have more than one answer

A. Aseptic meningitis

C. Addison's disease

D. Uveitis

E. Diabetes mellitus

Associated findings of Chediak-Higashi syndrome include:

- A. Increased cathepsin B levels
- B. Giant melanosomes
- C. Dermal melanophages
- D. Increased melanin granules
- E. Giant lysosomal granules in peripheral blood and skin

May have more than one answer

B. Giant melanosomes

D. Increased melanin granules

E. Giant lysosomal granules in peripheral blood
and skin